

TERBERG/ZAGRO

LOCOMOTIVE TRACTOR



FOR ROAD/RAIL
APPLICATIONS

ZAGRO



BASED ON PROVEN DESIGNS

- Gross Combination Weights up to 2,800 tons
- Small turning radius: 6,770 mm
- Rail track gauges: 1,000 - 1,668 mm
- Based on proven designs, ensuring reliability and lowest operating and maintenance costs
- High-capacity wagon brake system for optimized air supply while idling and reduced fuel consumption
- Incorporates high quality components which are available throughout the world
- Over 5,000 Terberg vehicles equipped with similar components are in operation all over the world in ports, distribution centres, industry and airports
- The worldwide distributor network and our efficient spare parts service ensure professional after-sales support

RR222 / RR282 6x4



Easy access for maintenance



The cabin offers a high degree of comfort and an excellent working environment for the driver



The driveline incorporates high-quality components for reliability and low operating and maintenance costs

THE PERFECT CHOICE

- New product from Terberg and ZAGRO – experts in special vehicles
- The perfect choice for yards with rail connections
- All-in-one: for shunting both road trailers and rail wagons
- Rail track gauge 1,435 mm
- Powerful, handles trailers up to 100 t GCW and wagons up to 1000 t
- High-quality driveline components with a long and proven lifetime
- Worldwide service network and spare parts supply
- Changes between road and rail mode and back in only a few minutes



RR222 4x2





Terberg Special Vehicles
P.O. Box 2
NL-3405 ZG Benschop
The Netherlands

Tel. +31 348 45 92 11
info@terbergbenschop.nl

TERBERGSPECIALVEHICLES.COM

ZAGRO

ZAGRO Bahn- und Baumaschinen GmbH
Mühlstrasse 11-15
D-74906 Bad Rappenau-Grombach
Germany

Tel. +49 7266 9168-0
info@zagro.de

ZAGRO.DE